

Computer Systems Performance Analysis and Benchmarking (37-235)

Analytic Modelling

Simulation

Measurements / Benchmarking

Lecture/Assignments/Projects:

Dipl. Inf. Ing. Christian Kurmann

Textbook:

Raj Jain, "The Art of Computer Systems Performance Analysis", 1991 Wiley & Sons, New York

Topic of Today:

- **Introduction**
- **Common mistakes ...
... and how to avoid them**

Aims for this Lecture:

- **Performance is key criterion in design, procurement and use of computer systems**
- **Goal: Get the highest performance with given cost.**
- You learn:
 - comparing systems
 - system tuning
 - bottleneck identification
 - system characterization
 - capacity planning
 - forecasting
- A system could be hardware, software, firmware components or any collection thereof.

Textbook:

Raj Jain, "The Art of Computer Systems Performance Analysis", 1991 Wiley & Sons, New York, ISBN 0471503363

Sources:

- Local:
Orell Fuessli: CHF 200.00
in 4 days
Freihofer: ~CHF 209.00
in 2-4 weeks
- Internet USA:
www.amazon.com: USD 95.00
+Shipping
- Internet Germany:
www.amazon.de: CHF 141.40
1-2 weeks

Topics:

- **Evaluation technique, performance metrics, workloads.**
- **Measurements:**
 - How to do it properly.
- **Statistical technics:**
 - We just use it - don't panic!
- **Design of experiments:**
 - How many experiments are needed to provide the most information with the least effort?
- **Simulation, Analytical Modeling:**
 - How to do it correctly.
- **More on workloads:**
 - Survey of benchmarks.

Example (Techniques, Metrics, Workloads)

What performance metrics should be used to compare the performance of the following systems?

- **Two disk drives**
- **Two transaction processing systems**
- **Two packet retransmission algorithms**

Example: (Performance Measurements)

Which type of monitor (software and hardware) would be more suitable for measuring each of the following quantities?

- Number of instructions executed by a processor**
- Degree of multiprogramming on a timesharing system**
- Response time of packets on a network**

Example: (Statistical Techniques)

- The number of packets lost on two links was measured for four file sizes as shown below:

File Size:	Link A	Link B
1000	5	10
1200	7	3
1300	3	0
50	0	1

Which link is better?

Example: (Design of Experiments)

The performance of a system depends on the following three factors:

- **Garbage collection technique used:
(concurrent, stop and copy, none)**
- **Type of workload:
(editing, searching (database),
scientific computing)**
- **Type of CPU:
(DEC Alpha, IBM Power 3, Intel P4)**

How many experiments are needed? How does one quantify the performance impact of each factor?

Example (Queueing Network Models)

The average response time of a database system is 3 seconds. During a 1 minute observation interval, the idle time on the system was 1 second. Determine the following:

- System utilization
- Average service time per query
- Number of queries completed during the interval
- Average number of jobs in the system
- $P[\# \text{ of jobs in the system}] > 10$
- 90 percentile, response time or waiting time

Why is Performance Evaluation an “Art” and not a “Science”?

Example:

Throughput table [Transactions per second]

System:	Workload 1	Workload 2
A	20	10
B	10	20

What is a fair comparison?

Absolute:

System:	Workload 1	Workload 2	Average
A	20	10	15
B	10	20	15

Relative to B:

System:	Workload 1	Workload 2	Average
A	2x	0.5x	1.25x
B	1x	1x	1x

Relative to A:

System:	Workload 1	Workload 2	Average
A	1x	1x	1x
B	0.5x	2x	1.25x

Similar games with workload selection, system measurement, result presentation.

How to Learn System Performance Analysis?

- **Learn the mathematical basics (done best in a lecture)**
- **Read articles on real studies critically (see the first assignment in Uebung)**
- **Gain experience, do a project... (see suggested list)**

I hear and I forget.

I see and I remember.

I do and I understand.

Chinese Proverb

Common mistakes... ...and how to avoid them

- **No goals**

There is no such thing as a general purpose model. Models are developed best with a clear goal in mind.

Example: model memory system performance with respect to communication operations in a parallel system.

- **Biased goals**

Show that OUR system is better than THEIRS.

- **Unsystematic approach**

Arbitrary selection of the parameter or thrive for cute theories rather than answers.

- **Analysis without understanding the problem**

A problem well stated is half solved. 40% is defining the problem, 60% is looking into alternatives, getting results, interpret them and conclude.

Customers want an answer not a model per se.

- **Incorrect performance metrics**

Compare MIPS [Million Instructions per Second] for a CISC CPU vs. MIPS for RISC CPU.

People often go for the easy metrics, e.g. the MHz clock frequency, rather than the relevant ones.

- **Unrepresentative workload**

Workloads have a high impact on the results. It is very tempting to construct a favorable workload for an evaluation.

- **Wrong evaluation technique**

- Measurement
- Simulation
- Analytical modeling

People tend to choose what they know best, rather than what works best for the problem. The three different techniques have different strengths and limitations.

- **Overlooking important parameters**

List the system and workload characteristics and make sure you don't forget any characteristic that might effect the performance.

- **Ignoring significant factors**

Factors are parameters varied by in the study. It is important to understand what is fixed and what is random, sometime even how the randomness works.

- **Inappropriate design**

Design is a question of coverage within the parameter space. Proper selection maximises information with given number of experiments. Several techniques are given. Speciality of the author of our textbook.

- **Inappropriate level of detail**

Shallow high level models allow many alternatives. Narrow and detailed model restrict investigation to a few alternative but give much insight about them.

- **No analysis**

Study ends with a flood of data but lacks explanation. Analyse the data!

- **Erroneous analysis**

There are a few classic mistakes like average of ratios etc... Don't get caught at a conference with such a bug!

- **No sensitivity analysis**

Computer scientists put too much emphasis on the result as a fact rather than on the evidence and how strong it is.

- **Improper treatment of outliers**

Deciding which outliers are inherent in the system and which ones are just unrelated bad luck is very difficult. One needs to understand the system to model it.

- **Assuming no changes over time**

The future might be different, a good analysis can deal with change.

- **Ignoring variability**

Focus on the mean, max or min, insufficient effort to get variability under control (statistically).

- **Too complex analysis**

A simple analysis that leads to the same conclusion, with the same certainty, is always better than a complex one.

- **Improper presentation of results**

One can go to a top systems conference like ASPLOS and still find bar charts about branch prediction with a range from 88% to 93%. Books have been written on that. e.g. “Wie lügt man mit Statistik”.

- **Ignoring social aspects**

Modeling and analysis are substantive technical skills. Writing and speaking are social skills. Hint: combine them!

- **Omitting assumption and limitations**

Those are often omitted, due to page limitations or because they are inconvenient to explain. This leads other user to apply the results out of context.